

SAFETY DATA SHEET

Newman Zone 60E

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED):

SYNONYMS:

CAS#:

PRODUCT USE:

Newman Zone 60E

None known

Mixture

This product is used for soil and ground water remediation.

Ethanol Solution, Class 3, Flammable Liquid, PGIII

UN1170

RNAS Remediation Products

6712 West River Road, Brooklyn Center, MN 55430

1-763-585-6191

1-800-424-9300 (Chemtrec 24 Hr Service – Emergency Only) January

16, 2016

September 22, 2021

CHEMICAL SHIPPING NAME/CLASS:

U.N. NUMBER:

MANUFACTURER'S NAME:

ADDRESS:

BUSINESS PHONE:

EMERGENCY PHONE:

DATE OF CURRENT REVISION:

DATE OF LAST REVISION:

2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW: This product is an opaque white liquid with a slight alcohol odor.

Health Hazards: Prolonged or repeated exposure may cause irritation to skin. May cause irritation to eyes upon contact. Inhalation of vapors/sprays or mist may cause respiratory irritation. Ingestion of large amounts of this product may cause gastrointestinal irritation.

Flammability Hazards: This product is a Combustible liquid with a flash point of 100°F (>37.6°C) Reactivity

Hazards: None known

Environmental Hazards: The Environmental effects of this product have not been investigated. Release of this product is not anticipated to have significant adverse effects in the aquatic environment.

US DOT SYMBOLS

CANADA (WHMIS) SYMBOLS

EUROPEAN and (GHS) Hazard Symbols



Complies with WHMIS 2015

Signal Word: Warning!

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1910.1200 (OSHA HCS) AND THE EUROPEAN UNION DIRECTIVES:

This product does meet the definition of a hazardous substance or preparation as defined by OSHA in 29 CFR 1910.1200 or the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:

EC# 200-578-6 Annex VI Index# 603-002-00-5

Balance of ingredients are not listed in Annex VI

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s):

Ethanol

GHS Hazard Classification(s):

Flammable Liquid Category 3

Hazard Statement(s):

H226: Flammable liquid and vapor

Precautionary Statement(s):

P210: Keep away from heat/sparks/open flames/ hot surfaces. No Smoking

P233: Keep container tightly closed.

P280: Wear protective gloves/eye protection/face protection.

RNAS Page 1 of 7



Newman Zone 60E

Chronic: None known

HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, inhalation of vapors and ingestion. The symptoms of overexposure are described below.

ACUTE:

INHALATION: Not expected to cause adverse health effects when used as intended. Inhalation of vapors/mist/spray may cause respiratory irritation.

CONTACT WITH SKIN: Not expected to cause adverse health effects when used as intended. Prolonged and repeated contact may cause irritation to skin.

EYE CONTACT: Direct eye contact can cause irritation with redness, tearing and blurred vision.

INGESTION: Under normal conditions of intended use, this material is not expected to be an ingestion hazard. Ingestion

of large quantities may cause gastrointestinal irritation, nausea and vomiting. **CHRONIC**: None known

TARGET ORGANS: Acute: Skin, Respiratory System and Eyes

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS#	Hazard Classification	
Food Grade Soybean Oil	60%	8001-22-7	232-274-4	Not Classified	
Water	28%	7732-18-5	231-791-2	Not Classified	
Ethanol	6%	64-17-5	200-578-6	Flammable Liquid Cat 3	
Proprietary Food Grade Surfactant Blend	6%	Proprietary	Not Listed in ESIS	Not Classified	
Food Grade Nutrient & Buffer	0%				
Balance of other ingredients is less t	han 1% in con	centration (or 0	1% for carcinogens, re	eproductive toxins, or respiratory sensitizers).	

NOTE: This product has been classified in accordance with the hazard criteria of 29CFR1910.1200 and the SDS contains all the information required by the CPR, EU Directives and the Japanese Industrial Standard *JIS Z* 7250: 2000.

4. FIRST-AID MEASURES

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention if irritation persists.

SKIN CONTACT: Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: None known

RECOMMENDATIONS TO PHYSICIANS: Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

FLASH POINT: Flammable liquid with flash point 100°F (>37.6°C)

AUTOIGNITION TEMPERATURE: Not Available

FLAMMABLE LIMITS (in air by volume, %): Lower NA Upper NA

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods below:

Water Spray: Yes <u>Carbon Dioxide</u>: Yes

Foam: Yes Dry Chemical: Yes Halon: Yes Other: Any "C" Class

UNUSUAL FIRE AND EXPLOSION HAZARDS: Vapors may form an explosive mixture with air. Vapors can travel to a source of ignition and flash back.

RNAS Page 2 of 7





Newman Zone 60E

<u>Explosion Sensitivity to Mechanical Impact</u>: No Explosion Sensitivity to Static Discharge: Yes

<u>SPECIAL FIRE-FIGHTING PROCEDURES:</u> Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM





Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

6. ACCIDENTAL RELEASE MEASURES

SPILL AND LEAK RESPONSE: Stop the flow of material, if this can be done safely. Eliminate sources of ignition. Contain discharged material. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Place in a proper container for disposal. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

WORK PRACTICES AND HYGIENE PRACTICES: As with all chemicals, avoid getting this product ON YOU or IN YOU. Use non-sparking hand tools and explosion-proof electrical equipment. Ensure adequate ventilation. Ensure adequate earthing. Wash thoroughly after handling this product. Use good hygiene practices.

STORAGE AND HANDLING PRACTICES: Store in original container. Keep container closed when not in use. Store in a cool, dry location away from heat sources or other sources of ignition. – No Smoking

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Food Grade Soybean Oil	8001-22-7	Not Listed	Not Listed
Water	7732-18-5	Not Listed	Not Listed
Ethanol	64-17-5	1000 ppm	1000 ppm
Proprietary Food Grade Surfactant Blend	Proprietary	Not Listed	Not Listed

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RNAS Page 3 of 7



SAFETY DATA SHEET

Newman Zone 60E

RESPIRATORY PROTECTION: Not normally required when using this product. Maintain airborne contaminant concentrations below guidelines listed above. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or goggles are recommended to avoid eye contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

SKIN PROTECTION: Wear impervious gloves for prolonged or repeated exposure as appropriate to task avoid when using this product. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use body protection appropriate to task being performed. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards.

9. PHYSICAL and CHEMICAL PROPERTIES

APPEARANCE (Physical State) and COLOR: This product is an opaque white liquid with a

slight alcohol odor. **ODOR:** Slight **ODOR THRESHOLD:** Not Available

pH: 6.0-8.0

MELTING/FREEZING POINT: Not Available **BOILING POINT:** <99°C / <210°F @ 760 mmHg

FLASH POINT: >37.6°C / 100°F

EVAPORATION RATE (n-BuAc=1): Not Available **FLAMMABILITY (SOLID, GAS):** Not Applicable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F)): Similar to water 23 mmHg @ 25°C

VAPOR DENSITY: Not Available SPECIFIC GRAVITY: 0.95 @ 25°C

SOLUBILITY IN WATER: Dispersible in water

WEIGHT PER GALLON: 7.91 lbs/gal

PARTITION COEFFICENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Available **DECOMPOSITION TEMPERATURE:** Not Available

VISCOSITY: 25 Centipoise

10. STABILITY and REACTIVITY

STABILITY: Stable under conditions of normal storage and use.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition products include oxides of carbon.

MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE: Strong oxidizing materials, strong acids and excessive heat.

POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur.

CONDITIONS TO AVOID: Incompatible materials and ignition sources.

11. TOXICOLOGICAL INFORMATION

TOXICITY DATA:

Ethanol CAS# 64-17-5

Draize test, rabbit, eye: 500 mg Severe; Draize test, rabbit, eye: 500 mg/24H Mild; Draize test, rabbit, skin: 20 mg/24H Moderate; Inhalation, mouse: LC50 = 39 gm/m3/4H; Inhalation, rat: LC50 = 20000 ppm/10H; Oral, mouse: LD50 = 3450 mg/kg; Oral, rabbit: LD50 = 6300 mg/kg;

Oral, rat: LD50 = 7060 mg/kg; < br.

RNAS Page 4 of 7



Newman Zone 60E

SUSPECTED CANCER AGENT: Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, nor suspected to be, cancer-causing agents by these agencies.

IRRITANCY OF PRODUCT: No specific data available

SENSITIZATION TO THE PRODUCT: This product is not a skin and respiratory sensitizer

REPRODUCTIVE TOXICITY INFORMATION: No information concerning the effects of this product and its components on the human reproductive system.

12. ECOLOGICAL INFORMATION

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

ENVIRONMENTAL STABILITY: No specific data available on this product. Does not have potential for bioaccumulation. CHEMICAL EFFECT ON PLANTS, ANIMALS AND AQUATIC LIFE: This product is not expected to cause significant harm to plants, animals or aquatic life.

WATER ENDANGERMENT CLASS: Water endangering in accordance with EU Guideline 91/155-EWG – Not Determined. SPECIFIC AVAILABLE COMPONENT INFORMATION: No additional data available at this time.

13. DISPOSAL CONSIDERATIONS

PREPARING WASTES FOR DISPOSAL: Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

EU Waste Code: Not determined

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

NOTE: Non-bulk containers (≤ 119 Gallons/450L) can be shipped via road or rail within the U.S. as a Non-Regulated Material per 49CFR173.120 (A flammable liquid with a flash point at or above 38 °C (100 °F) that does not meet the definition of any other hazard class may be reclassed as a combustible liquid. This provision does not apply to transportation by vessel or aircraft)

BULK SHIPMENTS GREATER THAN 119 GALLONS:

PROPER SHIPPING NAME: Ethanol Solution (Ethyl Alcohol Solution)

HAZARD CLASS NUMBER and DESCRIPTION: Flammable liquid, Class 3

UN IDENTIFICATION NUMBER: UN1170 **PGIII PACKING GROUP:**

Flammable Class 3 DOT LABEL(S) REQUIRED: NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: 127

RQ QUANTITY:

MARINE POLLUTANT: The components of this product are not designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

PROPER SHIPPING NAME: Ethanol Solution (Ethyl Alcohol Solution)

HAZARD CLASS NUMBER and DESCRIPTION: Flammable liquid, Class 3

UN IDENTIFICATION NUMBER: UN1170 **PACKING GROUP: PGIII**

DOT LABEL(S) REQUIRED: Flammable Class 3 Limited QTY - Max net Qty per package 10.0 L Packaging Instruction Y344

Max net Qty per Package Passenger and Cargo Aircraft 60L Packaging Instruction 355

Max net Qty per Package Cargo Aircraft 220L Packaging Instruction 366

ERG Code 3L

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

Ethanol Solution (Ethyl Alcohol Solution) PROPER SHIPPING NAME:

HAZARD CLASS NUMBER and DESCRIPTION: Flammable liquid, Class 3

UN IDENTIFICATION NUMBER: UN1170

RNAS Page 5 of 7



Newman Zone 60E

PACKING GROUP:

PGIII

DOT LABEL(S) REQUIRED:

Flammable Class 3

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

.

15. REGULATORY INFORMATION

UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act as follows: None

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted form listing.

OTHER U.S. FEDERAL REGULATIONS: None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65): Ingredients within this product are not on the Proposition 65 Lists.

CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Complies with WHMIS 2015

EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for Details

<u>AUSTRALIAN INFORMATION FOR PRODUCT:</u> The components of this product are listed on the International Chemical Inventory list.

JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed or Exempt from listing

Australian Inventory of Chemical Substances (AICS): Listed or Exempt from listing

Korean Existing Chemicals List (ECL): Listed or Exempt from listing

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed or Exempt from listing Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed or Exempt from listing

Swiss Giftliste List of Toxic Substances: Listed or Exempt from listing

U.S. TSCA: Listed

RNAS Page 6 of 7



Newman Zone 60E

16. OTHER INFORMATION

ABBREVIATIONS AND ACRONYMS:

EPA: United States Environmental Protection Agency

ARD: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

PREPARED BY: Paul Eigbrett – (GHS MSDS Compliance PLUS)

DATE OF PRINTING: September 22, 2021

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. RNAS Remediation Products assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, RNAS Remediation Products assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET

RNAS Page 7 of 7